Bl 121 Lecture 2

Thanks for signing attendance roster & noting late arrival or early departure time!

I. ***Announcements*** **Lab 1 Histology today! 130 HUE. Fun! Readings: DC, LS, LM? *NB*: UO Biology blog *vs.* Blackboard or Canvas *http://blogs.uoregon.edu/bi121/fall-2015/***

II. ***Homeostasis*** **LS ch 1, DC Module 1**

- A. ***What?*** **Maintenance of ECF LS p 8**
- B. ***Where?*** **ECF = Plasma + Interstitium + ? LS fig 1-4 p 8**
- C. ***Homeostatic Balances?*** **LS p 9, DC pp 5-6**
- D. ***Why?*** **Cell survival! LS fig 1-5 p 9, DC p 5**
- E. ***Physiology in the News*** **H_2O? Are we like watermelons?**
- F. ***How*** **are balances maintained? Simplified Homeostatic Model *cf:* LS fig 1-7 p 14; T^oC + BP balance *e.g.* + *vs.* - FB**

III. ***Cell Anatomy, Physiology & Compartmentalization*** **LS ch 2**

- A. **How big? What boundaries? Why compartments? pp 19-21**
- B. **Basic survival skills LS ch 1 p 3**
- C. **Organelles ≡ Intracellular specialty shops Endoplasmic Reticulum (ER), Golgi, Lysosomes, Peroxisomes & Mitochondria, LS fig 2-1, 2-2, 2-3 pp 20-3**

Maintenance of a relative constancy in the Internal environment = ECF = fluid outside of cells

milieu interieur?

Claude Bernard



100 trillion cells working intimately

Walter B. Cannon

Where is extracellular fluid?



LS fig 1-5 p 7

Where is extracellular fluid?



As long as <u>between/outside</u> cells, ECF everywhere?

G&H 2011


Plasma
(within CV System)
ECF = Extracellular
Interstitium
(eg, between
muscle cells)
ICF = Intracellular


HOMEOKINESIS?

Metabolic

ANA- CATA-



H_2O

T°C



Dr. Evonuk's 6 Balances

O_2/CO_2



$Ion^{+/-}$

pH



No, we're not watermelons, but H_2O is definitely critical!!

Drink about 1 L per 1000 calories energy expenditure!!

Human ~ 2/3 H_2O

~ 60 – 70 %



150 lb /68 kg

***NB*: So 2000 kcal → drink 2000 mL ≡ 67.63 fl oz ≡ ~ 8 cups!**

= ~40 – 48 kg H_2O


I
R
I′
C
O
E
Feedback loop
Invariably, Negative Feedback
Ef

NB: Though most often negative feedback, there are exceptions:

Selected +FB eg:

LH Surge + Ovulation
Oxytocin + Uterine Contraction
Blood Clotting Cascade
cAMP Cascade
Na+ influx during AP

70% H_2O
= 49L

eg

ICF =
35L

+

ECF = 14L

[Interstitium = 11L
Plasma = 3L]

H_2O

INPUT

Dietary Drink	1200 mL
Dietary Eat	400 mL
Oxidation	400 mL
Total =	2000 mL ✓

BALANCE!



OUTPUT

Urine	1000 mL
Sweat + Insensible	900 mL
Feces	100 mL
Total =	2000 mL ✓

Controller = Hypothalamus with Set Point



ToC



ToC

Lethal

42oC

Protein Denaturation

True Diurnal Variation

110oF

Set Point

37oC

98.6oF

35oC

Mild Hypothermia

Profound Hypothermia

33oC

< 30oC

Lethal

29oC

0600 1400 0600 1400

Time of Day


BP
I
Venous Pooling
R
Baroreceptors/Pressure Receptors
eg, in Carotids & Aorta
Electrochemical Signal
I'
CV Control Center
Brain Stem
C
O
Electrochemical Signal
eg, Symp Accel N
Seated to Standing
NB: Corrective Change
Opposes Original Input
E
+
BP
Ef
HR
+
VC

Class Discussion + Break!

HOW BIG? 100 CELLS LENGTHWISE = 1 mm!!



Cytoplasm = Cell - Nucleus

[Extract nucleus; includes organelles]



Cytosol = Cytoplasm - Organelles

[Extract organelles; complex gel-liquid]



Why Compartments? Advantage?

<u>*Incompatible*</u> reactions can take place

<u>*Simultaneously*</u>!!



Basic Cell Survival Skills?

1. **Get food**
2. **Use food**
3. **Rid wastes**
4. **Move**
5. **Reproduce**



1 e.g. Cell of 100 Trillion!



fig 2-1 LS 2012

Rough & Smooth Endoplasmic Reticulum (ER): Protein & Lipid Synthesizing Factories



Smooth ER:
1. packages new proteins in transport vesicles
2. stores calcium in muscles

fig 2-2 LS 2012

Electron Micrographs of Rough vs. Smooth ER



fig 2-2 LS 2012

Secretion of Proteins Produced by ER



fig 2-3 LS 2012

Golgi Complex: Final Processing, Packaging & Distribution



fig 2-4 LS 2012

Exocytosis: Primary Means of Secretion





fig 2-5a LS 2012

Endocytosis: Primary Means of Ingestion





fig 2-5b LS 2012

Lysosomes vs. *Peroxisomes*



fig 2-6 LS 2012

Phagocytosis: Cell Eating!



fig 2-7 LS 2006


Film: Neutrophil engulfing bacterium
http://devreotes.johnshopkins.edu/videos
L. Nilsson, Nat Geog 1986
10,000 x

Catalase Enzyme Reaction in Peroxisomes Neutralize Toxin at Production Site!



$$2H_2O_2 \xrightarrow{\textit{Catalase}} 2H_2O + O_2$$

Mitochondria: Energy Organelles



fig 2-8 LS 2012