BI 121 Lecture 5

- Yes, more fun!... I. Announcements Lab 3 tomorrow Nutritional Analyses.
- Thanks for recording dietary data on LM p 3-7 & exploring https://www.supertracker.usda.gov/. Sample Exam I Questions.
- II. Nutritional Physiology in the News
 - Gain weight by drinking your calories? PEBB Newsletter Salt-beyond hypertension UCB Wellness Letter, June 2011
- III. Nutrition Primer DC Module 2, Sizer & Whitney (S&W) Sci Lib
 - A. Dietary Guidelines: USDA, AICR, Eat Like the Rainbow!
 - B. Best path to weight loss? Diet or exercise or both? Dietary composition & endurance? Fasting? Zuti & Golding 1976; Sacks AHA NPAM Council 2009; AMDR? Adjusted Macronutrient Distribution Range!
- C. Nutrition Quackery, Balanced Approach Kleiner, Monaco+
- IV. <u>Digestion</u> LS 2012 ch 15, pp 437-9, DC Module 3 pp 17-23
 - A. Steps of digestion Dr. Evonuk + LS pp 437- 9; DC p 23
 - B. Hydrolysis: the central linking theme! LS p 438, Fox 2009
 - C. What's missing? LS fig 15-1 p 438
 - D. Gl-Donut analogy? Dr. Lorraine Brilla WWU
 - E. Gut secretions: What? Where? Why? LS p 438, 440-1
 - F. Organ-by-organ review LS tab 15-1 pp 440-1 + DC fig 3-1

Sample Exam I Questions

- **Sample 1.** What is *human physiology*? (+2) How does it differ from *human anatomy*? (+2)
- **Sample 2.** Give 2 examples of when positive feedback may occur normally in the human body. (+4)
- Sample 3. Cells are progressively organized into
 - a. organs, systems, tissues, then the whole body
 - b. tissues, organs, systems, then the whole body
 - c. systems, tissues, organs, then the whole body
 - d. None of the above are correct.

5 times per wk? \equiv 106,600 calories/yr \equiv \pm 30.5 lb fat/yr







Starbucks Cinnamon Dolce Latte, whipped cream Venti (20 oz.)

Starbucks 410 calories



Jogging 50 min.



Better choices!

More Reasons to Shake the Salt Habit



- 2 Ca²⁺ excretion bone loss, risk of osteoporosis & fractures.
- May directly impair kidney function & Trisk of kidney stones.

4 GI cancer risk, inflammation?





I'm outta

Macronutrients & Micronutrients Essential for Life

Macronutrients

H₂O/Water

- **√**1º Carbohydrates
- √2º Fats/Triglycerides/Lipids
- √3º Proteins

Sample Food Sources

Water, other drinks, fruits & vegetables
Grains, vegetables, fruits, dairy products
Meats, full-fat dairy products, oils
Meats, legumes, dairy

(Micronutrients) NB: Need only minute quantities!


vegetables

Vitamins (A, D, E, K; C + B)

Minerals (K+, Na+, Ca²⁺, Mg²⁺ Fe²⁺, Zn²⁺,... Vegetables, vegetable oils, fruits, citrus, grains, dairy Fruits, vegetables, grains, nuts, dairy, meats, processed foods

✓ Energy nutrients = yield ATP


USDA Food Pyramid 1992



Willett & Stampfer Suggestions 2003 Multiple vitamins FOR MOST Red meat White rice, white bread, and butter potatoes, pasta and sweets **USE SPARINGLY USE SPARINGLY** Alcohol in moderation Dairy or UNLESS calcium supplement CONTRAINDICATED 1 TO 2 SERVINGS Fish, poultry and eggs O TO 2 SERVINGS Nuts and legumes 1 TO 3 SERVINGS Fruit Vegetables 2 TO 3 SERVINGS IN ABUNDANCE Plant oils (olive, Whole grain canola, soy, corn, foods sunflower, peanut AT MOST and other **MEALS** vegetable oils) AT MOST Daily exercise and weight control **MEALS**

NEW FOOD PYRAMID

US Modifications to 1992 Food Pyramid 2005



Regular Physical Activity: Exercise! Exercise!!

Dietary Guidelines for Americans 2005 Food Guidance System

Hooray!

- 1. 1 emphasis on ↓kcal + 1 exercise. 🙂
- 2. 9-A-Day! 4 fruit + 5 vegetable servings.
- 3. \geq 3 of 6 whole grains $\longrightarrow \frac{1}{2}$ whole grains!
- 4. 3 servings of dairy, eg 3 c fat-free milk.
- 5. \downarrow saturated + trans fats + \uparrow unsaturated/ "good" fats, eg Ω -3 fish, walnuts.
- 6. Drink in moderation if at all.
- 7. Practice food safety.

MyPlate launched June 2, 2011

2. Focus on fruits. Whole fruit preferable to juice, but any fruit counts! Fill ½ your plate with fruits & vegetables!



- 3. Make at least ½ of your grains whole grains!
 - 5. Get your calcium-rich foods. Buy skim or 1% milk. Go easy on cheese!

1. Vary your veggies. Fill ½ your plate with fruits & vegetables!

4. <u>Go lean with protein</u>. Keep protein to < ¼ plate! Nuts, beans, peas, seeds, poultry, lean meat, seafood,...

Diet & Health Guidelines for Cancer Prevention

- 1. Choose a diet rich in variety of plant-based foods.
- 2. Eat plenty of vegetables & fruits.
- 3. Maintain a healthy weight & be physically active.
- 4. Drink alcohol only in moderation, if at all.
- 5. Select foods low in fat & salt.
- 6. Prepare & store food safely.And <u>always</u>, remember...



Do not smoke or use tobacco in any form.

American Institute for Cancer Research (AICR)



Eating the Rainbow Hawaiian Style!!



Your plate should be the size of a Frisbee, not a manhole cover.

When it comes to colorful foods, Fruit Loops don't count.

A surprising number of people get 1/5 of their calories from sodas or other liquids.

If you look at the label & need a chemistry degree to read it, put the item back on the shelf!








Figure 4–9. Changes in body weight, body fat, and lean body weight for diet, exercise, and combination groups. (From Zuti W. B., and Golding, L. A.: Comparing diet and exercise as weight reduction tools. **Phys. Sportsmed.** 4:49–53, 1976.)

NB: Each group 500 kcal deficit/day, 16 weeks








Exercise is better than dieting in lowering body fat & preserving muscles!








Dietary Composition & Physical Endurance







Negative Effects of Low Carbohydrate

- 1) 1 fatigue/exhaustion central & peripheral!
- 2 ↓ glucose brain+spinal cord, rbcs thrive upon.
- 3 ↓ variety which reduces intake of phytochemicals, vitamins, minerals & fiber.
- 4 ↑ risk of respiratory infections.



+ gall stones, ↓ thermoregulation...

We're better at storing fat vs carbohydrate!

Dietary Fat



3 % Kcal

Body Fat



23 % Kcal

Dietary Carbohydrate



To Help Lower Body Wt & %Fat EXERCISE!! + *Minimize* These!!

FAT 9 Kcal/g

ETOH 7 Kcal/g

CARB 4 Kcal/g

PRO 4 Kcal/g

NB: <u>Minimize</u> not <u>Eliminate!</u> <u>Moderation</u> not <u>Abstinence!!</u>



<u>TOTAL FAST</u> = <u>No Energy Nutrients</u> (<u>No Carbohydrates, Fats or Proteins)</u>

<u>ONLY</u>

- 1. Water
- 2. Vitamins
- 3. Minerals

60-day Fast???

<u>Lost 60 lb!! Wow!!</u>

```
Yet

> 3/4

26 lb Water

20 lb Lean Body Mass

(14 lb Fat

Fat < 1/4 total wt loss!
```

You can lose weight by starving – but it's mostly water & muscle! Also, there can be complications!



Potential Complications of Total Fasting
Nausea, diarrhea, persistent vomiting,
postural hypotension, nutritional
deficiencies, menstrual irregularities,
and...sudden death.

Positive Aspect??
General loss of appetite within first 2 days, maintained throughout fasting period.

Council on Nutrition, Physical Activity and Metabolism (NPAM) Spring 2009





Dietary Carbohydrate, Fat and Protein in Weight-Loss Diets: A Report and Insider's Reflections on the Pounds Lost Trial

Frank M. Sacks, MD

ell-controlled studies of energy-reduced diets conducted in controlled environments showed that the macronutrient composition of the diet did not affect weight loss (1). Nonetheless, theories persisted that specific macronutrients would be superior for weight loss. For example, the traditional paradigm for low-fat, high-carbohydrate diets was based on the lower energy density of carbohydrate compared to fat, and the metabolic efficiency of converting dietary fat to body fat (2). Indeed strict vegetarians sustain lower body weight for

years on low-fat diets (3). However, meaningful differences in body weight usually were not achieved in population-based trials of conventional low-fat diets (4). Thus, higher-fat, Mediterranean-style diets were proposed to be better for long-term weight loss because of their variety and satisfaction. Two trials found

that Mediterranean diets were superior to low-fat diets for weight loss (5,6). Others claimed that a radically different approach that used low-carbohydrate, high-fat, and high-protein foods could produce weight loss without attention to reducing intake because of the satiety of protein-rich foods. Low-carbohydrate diets succeeded in the first few months with more rapid weight loss than low-fat diets but by one year, none of the trials found that weight loss on low-carbohydrate

Continued on page 26

Dr. Sacks' Conclusions:

We conclude that healthful diets with varying emphases on carbohydrate, fat & protein levels can all achieve clinically meaningful weight loss & maintenance of weight loss over a 2-yr period. The results give people who need to lose weight the flexibility to choose a diet that they can stick with, as long as it's heart healthy. Such diets can also be tailored for individuals based on their personal & cultural preferences & in this regard may have the best chance for long-term success.

US Dietary Recommended Intakes (DRI) Committee Acceptable Macronutrient Distribution Ranges (AMDR)!

Energy Nutrient % Total Calories

Carbohydrate 45-65%


Fat 20-35%

Protein 10-35%

Emphasize ABCs + Variety & Moderation!



All of these factors help to build a nutritious diet.




Kleiner's & Monaco's Top 10 Hit List for Nutrition Quackery

- 1. Treatment based on <u>unproven theory</u> calling for non-toxic, painless therapy.
- 2. Author's/purveyor's <u>credentials aren't recognized</u> in scientific community.
- 3. <u>No reports in scientific, peer-reviewed literature</u> but rather mass media used for marketing.
- 4. Purveyors claim <u>medical establishment is against them</u> & play on public's paranoia about phantom greed of medical establishment.
- 5. Treatments, potions, drugs manufactured according to <u>secret</u> <u>formula</u>.
- 6. Excessive claims promising <u>miraculous cures</u>, disease prevention or life extension.
- 7. Emotional images rather than facts used to support claims.
- 8. Treatments <u>require special nutritional support</u> including health food products, vitamins and/or minerals.
- 9. Clients are cautioned about discussing program to avoid negative.
- 10. Programs based on <u>drugs or treatments not labeled</u> for such use.

NOT PEER-REVIEWED =

TRADE BOOKS


















ELIMINATE CALORIES or FOOD GROUPS **ENCOURAGE FASTING**



ADEQUACY BALANCE CONSISTENCY **& MODERATION**


Digestion Steps



SOURCE: Dr. Eugene Evonuk, 1989. *cf*: L Sherwood, 2012 pp 437-8.


Hydrolysis of Energy Nutrients






 H_2O +

Enzyme



SI Fox 2009 fig 18.1 p 614


What's missing?



• FIGURE 15-1 An example of hydrolysis. In this example, the disaccharide maltose (the intermediate breakdown product of polysaccharides) is broken down into two glucose molecules by the addition of H₂O at the bond site.

Polymer to Monomer (Many to One)


...Central-linking theme!!






Carbohydrate







Glucose

Protein + Fat





Amino Acids




Fatty Acids

+

Glycerol

GI-DONUT ANALOGY



Gut Secretions

Secretion Release Site

1. Mucus into GI Lumen

2. Enzymes into GI Lumen

3. H₂O, acids, bases+ into GI Lumen

4. Hormones into Blood

1. Mouth -

Ingestion entry way salivary gland secretion mucus + enzymes

enzymatic digestion: carbohydrate mastication = chewing deglutition = swallowing

Esophagus

Oral cavity

Sublingual

salivary gland

Tooth

2. Esophagus

Rapid transit peristalsis secretion mucus

3.Stomach

Mixing peristalsis secretion mucus + HCI + enzymes enzymatic digestion: Pancreas protein + butter fat!

4. Liver-Gall Bladder

Emulsification = detergent action of bile + secretion

6.Small Intestine

Absorption

Secretion mucus

+ enzymes

enzymatic digestion: carbohydrate, fat, protein

Peristalsis

-5.Pancreas Gallbladder Duodenum

Parotid salivary

Submandibular

Pharynx


salivary gland


Secretion mucus + NaHCO₃ + enzymes enzymatic digestion: carbohydrate, fat, protein

7.Large Intestine

Dehydration

secretion + absorption storage + peristalsis





Common Control Mechanisms

- 1. Local (autoregulation)
- 2. Nervous (rapidly-acting)
- 3. Hormonal (slower-acting/reinforcing)