


Anatomy & Physiology Lab today!...
Exam I next Thursday > 4th of July!!



BI 121 Lecture 4


- I. Announcements Nutrition Analysis Lab next Thursday!**
Please record your diet on p 3-7 LM & begin analysis using <https://www.supertracker.usda.gov/> Estimating quantities. Q?
- II. Cell Metabolism Connections** LS 2012 fig 2-9 thru 2-12 +...
- III. Introduction to Genetics** LS ch 2 p 20-1 + Appendix C
 - A. What's a gene? DNA? Why important? pp A-18 thru A-20 +
 - B. How does information flow in the cell? fig C-6
 - C. How does DNA differ from RNA? pp A-20 thru A-22
 - D. Genetic code? pp A-22, A-23
 - E. How & where are proteins made? fig C-7, C-9
 - F. Class skit: Making proteins @ ribosomes!
- IV. Nutrition Primer** DC Module 2,Sizer & Whitney(S&W) Sci Lib
 - A. Essential Nutrients: H₂O, 1^o Carbohydrates, 2^o Fats, 3^o Proteins, Vitamins, Minerals; Macro- vs Micro-?
 - B. Dietary Guidelines: USDA, AICR, Eat Like the **Rainbow!**
 - C. Diet or exercise? Diet composition & endurance? Fasting? Zuti & Golding 1976; Sacks **AHA NPAM Council** 2009; AMDR? Adjusted Macronutrient Distribution Range!
 - D. ***Nutrition Quackery, Balanced Approach*** Kleiner, Monaco+



4 oz → 3 oz



Deck of Cards



or




≡ 1 c

≡


raw → cooked



≡ 1/3 c




≡ 1 oz



≡ 1/4 c



≡ 1.5 oz



Cashing in electrons at the Electron Transport Chain (ETC) produces an abundance of ATP energy molecules!

Cytosol

Outer mitochondrial membrane

MitoSciences®

Rod Capaldi
U of O Biology



Inner
...




fig 2-12 LS 2012


Goals of Aerobic Metabolism

AEROBIC


=

MITOCHONDRION

w/O₂





Time-out for questions!




What are DNA's major functions? Heredity + Day-to-Day Cell Function




What does DNA look like? Double-helix!!



Gene = *Stretch of DNA that codes for a protein*



What does DNA do, day-to-day?



DNA vs RNA?

1. Double-stranded

2. Deoxyribose
(without oxygen)

3. A, T, C, G
Thymine

4. Self-replicative
(can copy itself)

5. Nucleus
(+mitochondria)

1. Single-stranded

2. Ribose
(with oxygen)

3. A, U, C, G
Uracil

4. Needs DNA as
template

5. 1^o Cytoplasm
(but Nucleus origin)

6. mRNA, rRNA, tRNA

*Triplets of bases code for amino acids,
the building blocks of proteins*

DNA

mRNA

tRNA

code word

codon

anti-codon

TAT

AUA

UAU

ACG

UGC

ACG

TTT

AAA

UUU


TAC

AUG


UAC

		Second base of codon							
		U	C	A	G				
First base of codon	U	UUU } Phe UUC } UUA } Leu UUG }	UCU } Ser UCC } UCA } UCG }	UAU } Tyr UAC } UAA } Stop UAG } Stop	UGU } Cys UGC } UGA } Stop UGG } Trp	U	C	A	G
	C	CUU } Leu CUC } CUA } CUG }	CCU } Pro CCC } CCA } CCG }	CAU } His CAC } CAA } Gln CAG }	CGU } Arg CGC } CGA } CGG }	U	C	A	G
	A	AUU } Ile AUC } AUA } AUG } Met Start	ACU } Thr ACC } ACA } ACG }	AAU } Asn AAC } AAA } Lys AAG }	AGU } Ser AGC } AGA } Arg AGG }	U	C	A	G
	G	GUU } Val GUC } GUA } GUG }	GCU } Ala GCC } GCA } GCG }	GAU } Asp GAC } GAA } Glu GAG }	GGU } Gly GGC } GGA } GGG }	U	C	A	G

Translation? Ribosomes Make Proteins




Transfer RNA (tRNA)



LS fig C-8

A Polyribosome. Which Way is Synthesis?



Class Skit, Questions & Discussion!



A *protein* synthesizing factory, where *translation* takes place!

What's a ribosome?

You rock, baby!





**TIME
OUT**

BREAK!

Macronutrients & Micronutrients Essential for Life

Macronutrients

H₂O/Water

✓ 1^o Carbohydrates

✓ 2^o Fats/Triglycerides/Lipids

✓ 3^o Proteins

Micronutrients

Vitamins (A, D, E, K; C + B)

Minerals (K⁺, Na⁺, Ca²⁺, Mg²⁺,
Fe²⁺, Zn²⁺,...)

✓ *Energy nutrients = yield ATP*

Sample Food Sources

Water, other drinks, fruits
& vegetables

Grains, vegetables, fruits,
dairy products

Meats, full-fat dairy
products, oils

Meats, legumes, dairy
vegetables

NB: Need only minute quantities!

Vegetables, vegetable oils,
fruits, citrus, grains, dairy

Fruits, vegetables, grains,
nuts, dairy, meats,
processed foods



USDA Food Pyramid 1992

Fats, oils, and sweets
Use Sparingly

Milk, yogurt, and
cheese group
2-3 Servings


Vegetable
group
3-5 Servings

Fruit group
2-4 Servings


Bread, cereal,
rice, and
pasta group
6-11 Servings

Key

- Fat (naturally occurring and added)
- ▼ Sugars (added)



Willett & Stampfer Suggestions 2003



NEW FOOD PYRAMID

US Modifications to 1992 Food Pyramid 2005

Fats, oils, and sweets
Use sparingly

↑ “good” fats!


↓ saturated & trans fats!

KEY

- Fat (naturally occurring and added)
- ▼ Sugars (added)

Milk, yogurt,
and cheese
group
2–3 servings

3 or more!



Meat, poultry, fish,
dry beans, eggs,
and nuts group
2–3 servings

eg, fish, nuts

Vegetable
group
3–5
servings

5 or more!



Fruit group
2–4 servings

4 or more!

Bread,
rice, and pasta
group
6–11
servings

1/2 whole grain

Regular Physical Activity: Exercise! Exercise!!

Dietary Guidelines for Americans 2005

Food Guidance System

Hooray!



1. ↑ emphasis on ↓ kcal + ↑ exercise.
2. 9-A-Day! 4 fruit + 5 vegetable servings.
3. ≥ 3 of 6 whole grains \rightarrow $\frac{1}{2}$ whole grains!
4. 3 servings of dairy, eg 3 c fat-free milk.
5. ↓ saturated + trans fats + ↑ unsaturated/
“good” fats, eg Ω -3 fish, walnuts.
6. Drink in moderation if at all.
7. Practice food safety.

MyPlate launched June 2, 2011

2. Focus on fruits.
Whole fruit preferable to juice, but any fruit counts!
Fill $\frac{1}{2}$ your plate with fruits & vegetables!



3. Make at least $\frac{1}{2}$ of your grains whole grains!

5. Get your calcium-rich foods. Buy skim or 1% milk. Go easy on cheese!

1. Vary your veggies.
Fill $\frac{1}{2}$ your plate with fruits & vegetables!

4. Go lean with protein. Keep protein to $< \frac{1}{4}$ plate! Nuts, beans, peas, seeds, poultry, lean meat, seafood,...

Diet & Health Guidelines for Cancer Prevention


- 1. Choose a diet rich in variety of plant-based foods.**
- 2. Eat plenty of vegetables & fruits.**
- 3. Maintain a healthy weight & be physically active.**
- 4. Drink alcohol only in moderation, if at all.**
- 5. Select foods low in fat & salt.**
- 6. Prepare & store food safely.**

And always, remember...

Do not smoke or use tobacco in any form.



American Institute for Cancer Research (AICR)



Eating the Rainbow Hawaiian Style!!



Your plate should be the size of a Frisbee, not a manhole cover.

When it comes to colorful foods, Fruit Loops don't count.

A surprising number of people get 1/5 of their calories from sodas or other liquids.

If you look at the label & need a chemistry degree to read it, put the item back on the shelf!



SOURCE: P. Rath, *Honolulu Advertiser*, Sept 11, 2008 citing D. Chong & N. Kerr.






Figure 4-9. Changes in body weight, body fat, and lean body weight for diet, exercise, and combination groups. (From Zuti W. B., and Golding, L. A.: Comparing diet and exercise as weight reduction tools. *Phys. Sportsmed.* 4:49-53, 1976.)

NB: Each group 500 kcal deficit/day, 16 weeks



Exercise is better than dieting in lowering body fat & preserving muscles!



Dietary Composition & Physical Endurance

eg, Atkins!


High-fat diet



Normal mixed diet



High-carbohydrate diet



~ 1/3 endurance!



Maximum endurance time:

57 min

114 min

167 min





Negative Effects of Low Carbohydrate

1



- 1 ↑ fatigue/exhaustion central & peripheral!
- 2 ↓ glucose – brain+spinal cord, rbc thrive upon.
- 3 ↓ variety which reduces intake of phytochemicals, vitamins, minerals & fiber.
- 4 ↑ risk of respiratory infections.

4



+ gall stones,
↓ thermoregulation...

We're better at storing fat vs carbohydrate!

Dietary Fat



3 % Kcal

Body Fat



23 % Kcal

**Dietary
Carbohydrate**



**To Help Lower Body Wt & %Fat
EXERCISE!! +*Minimize* These!!**



FAT 9 Kcal/g

ETOH 7 Kcal/g

CARB 4 Kcal/g

PRO 4 Kcal/g

**NB: *Minimize* not *Eliminate!*
 Moderation not *Abstinence!!***

***I'm not sure I believe you!
Why can't I just starve to
lose weight?***



TOTAL FAST =
No Energy Nutrients
(No Carbohydrates, Fats
or Proteins)

ONLY

- 1. Water**
- 2. Vitamins**
- 3. Minerals**

60-day Fast???

Lost 60 lb!! Wow!!

Yet

76.7% {
26 lb Water
20 lb Lean Body Mass
14 lb Fat

Fat < 1/4 total wt loss!

***You can lose weight by
starving – but it's mostly
water & muscle! Also, there
can be complications!***



Potential Complications of Total Fasting

**Nausea, diarrhea, persistent vomiting,
postural hypotension, nutritional
deficiencies, menstrual irregularities,
and...sudden death.**

Positive Aspect??

**General loss of appetite within
first 2 days, maintained
throughout fasting period.**

Council on Nutrition, Physical Activity and Metabolism (NPAM) Spring 2009



Dietary Carbohydrate, Fat and Protein in Weight-Loss Diets: A Report and Insider's Reflections on the Pounds Lost Trial

Frank M. Sacks, MD

Well-controlled studies of energy-reduced diets conducted in controlled environments showed that the macronutrient composition of the diet did not affect weight loss (1). Nonetheless, theories persisted that specific macronutrients would be superior for weight loss. For example, the traditional paradigm for low-fat, high-carbohydrate diets was based on the lower energy density of carbohydrate compared to fat, and the metabolic efficiency of converting dietary fat to body fat (2). Indeed strict vegetarians sustain lower body weight for


that Mediterranean diets were superior to low-fat diets for weight loss (5,6). Others claimed that a radically different approach that used low-carbohydrate, high-fat, and high-protein foods could produce weight loss without attention to reducing intake because of the satiety of protein-rich foods. Low-carbohydrate diets succeeded in the first few months with more rapid weight loss than low-fat diets but by one year, none of the trials found that weight loss on low-carbohydrate

Continued on page 26



years on low-fat diets (3). However, meaningful differences in body weight usually were not achieved in population-based trials of conventional low-fat diets (4). Thus, higher-fat, Mediterranean-style diets were proposed to be better for long-term weight loss because of their variety and satisfaction. Two trials found

Dr. Sacks' Conclusions:



We conclude that healthful diets with varying emphases on carbohydrate, fat & protein levels can all achieve clinically meaningful weight loss & maintenance of weight loss over a 2-yr period. The results give people who need to lose weight the flexibility to choose a diet that they can stick with, as long as it's heart healthy. Such diets can also be tailored for individuals based on their personal & cultural preferences & in this regard may have the best chance for long-term success.

***US Dietary Recommended Intakes (DRI)
Committee Acceptable Macronutrient
Distribution Ranges (AMDR)!***

Energy Nutrient % Total Calories

Carbohydrate 45-65%


Fat 20-35%

Protein 10-35%

Emphasize ABCs + Variety & Moderation!





*All of these factors help to build
a nutritious diet.*




Kleiner's & Monaco's Top 10 Hit List for Nutrition Quackery

1. Treatment based on unproven theory calling for non-toxic, painless therapy.
2. Author's/purveyor's credentials aren't recognized in scientific community.
3. No reports in scientific, peer-reviewed literature but rather mass media used for marketing.
4. Purveyors claim medical establishment is against them & play on public's paranoia about phantom greed of medical establishment.
5. Treatments, potions, drugs manufactured according to secret formula.
6. Excessive claims promising miraculous cures, disease prevention or life extension.
7. Emotional images rather than facts used to support claims.
8. Treatments require special nutritional support including health food products, vitamins and/or minerals.
9. Clients are cautioned about discussing program to avoid negative.
10. Programs based on drugs or treatments not labeled for such use.

**NOT PEER-REVIEWED =
TRADE BOOKS**




**PEER-REVIEWED =
TEXTS →
RESEARCH**



**AHA + DASH +
MAYO CLINIC**



**LOWER
CARBOHYDRATE**



**LOWER
FAT**



**ELIMINATE CALORIES
or FOOD GROUPS
ENCOURAGE FASTING**

**ADEQUACY
BALANCE
CONSISTENCY
& MODERATION**