BI 121 Lecture 9

We survived the exam! Happy Halloween!! Remember nutrient ρ & have safe fun!


- I. <u>Announcements</u> No lab today! Break for exam week! Next R Blood Chemistry. Thanks sincerely for helping us optimize safety by reading ≥ 2x Lab 5, LM pp 5-1 thru 5-6.
- II. Blood Form & Function LS ch 11, DC Module 5 pp 35-9
 - A. Formed vs Nonformed/cells vs plasma LS fig + tab 11-1 Cell origin bone marrow. What's in plasma? LS p 297
 - B. Red blood cells/erythrocytes: O₂ carrying LS p 299 Normal flexible vs fragile sickle cell LS p 301
 - C. White blood cells/leukocytes: defense/immunity differential + general functions LS pp 298, 309-12
 - D. Platelets/thrombocytes: clotting LS pp 304-6 fig 11-6+7
- III. Blood Chemistry Lab: Basics LM + LS ch 11 & 17
 - A. What's blood typing? *ABo* System LS pp 302- 4 Rhesus factor? Erythroblastosis fetalis? LS p 303-4
 - B. What's blood glucose? Clinically healthy range?
 - C. Diabetes + Treatment LS ch 17 pp 532-5


IV. Exam Comments & Return

Ghost, marshmallow or white blood cell?




What's in Blood? Plasma & Blood Cells








Hemoglobin Structure





What a difference one amino acid can make!


Amino acid sequence of normal hemoglobin:


Val - His - Leu - Thr - Pro - Glu - Glu


Amino acid sequence of sickle-cell hemoglobin:


Val -His -Leu-Thr - Pro-Val -Glu


S&W 2011 fig 6-5 p 194








































Platelet Plug Formation



Break for discussion/questions!









A Antigens (Agglutinogens)





B Antigens (Agglutinogens)





A & B Antigens
(Agglutinogens)







No Antigens (Agglutinogens)



A Antibodies (Agglutinins)




Clumping with anti-A serum



No Clumping with anti-A serum

Blood Type Distribution, General Population



Erythroblastosis Fetalis?


eg, Rh-mom Rh+baby

https://www.nlm.nih.gov/medlineplus/rhincompatibility.html


http://www.nlm.nih.gov/MEDLINEPLUS/ency/article/001298 .htm#Alternative%20Names



Erythroblastosis Fetalis or Hemolytic Disease of the Unborn/Newborn



Throw
Blanket
Over
This
Step!




Inject Mom with RhoGam ≤ 48-72 hr > each Rh+ Pregnancy




The Blanket is RhoGam → Masks the Mom's Immune System!

Diabetic & Normal Response to Glucose Load



Guyton & Hall 2000



Normal: 70-99

Pre-Diabetes: 100-125

Diabetes: ≥ 126 mg/dL

Proinsulin with C-Connecting Peptide







FIG. 10-4. Amino acid sequence of a mammalian proinsulin molecule. Note how the insulin molecule can be formed by cleaving this polypeptide chain at two locations to liberate the C peptide.





<u>Source</u>: Centers for Disease Control, Division of Diabetes Translation, <u>http://www.cdc.gov/diabetes/statistics</u>, S&W 2014 fig 4-15 p139A.



<u>Source</u>: Centers for Disease Control, Division of Diabetes Translation, <u>http://www.cdc.gov/diabetes/statistics</u>, S&W 2014 fig 4-15 p139B.

Type 1 and Type 2 Diabetes Compared

	Type 1	Type 2
Percentage of cases	5–10%	90–95%
Age of onset	<30 years	>40 years ^a
Associated characteristics	Autoimmune diseases, viral infections, inherited factors	Obesity, aging, inherited factors
Primary problems	Destruction of pancreatic beta cells; insulin deficiency	Insulin resistance, insulin deficiency (relative to needs)
Insulin secretion	Little or none	Varies; may be normal, increased, or decreased
Requires insulin	Always	Sometimes

Juvenile-onset diabetes

mellitus (IDDM)

Insulin-dependent diabetes

Adult-onset diabetes

Noninsulin-dependent

diabetes mellitus (NIDDM)

S&W 2014 tab 4-8 p 139

Older names


Table 4-9

Warning Signs of Diabetes

These signs appear reliably in type 1 diabetes and, often, in the later stages of type 2 diabetes.

- Excessive urination and thirst
- Glucose in the urine
- Weight loss with nausea, easy tiring, weakness, or irritability
- Cravings for food, especially for sweets
- Frequent infections of the skin, gums, vagina, or urinary tract
- Vision disturbances; blurred vision
- Pain in the legs, feet, or fingers
- Slow healing of cuts and bruises
- Itching
- Drowsiness
- Abnormally high glucose in the blood

Diabetics must constantly juggle diet, exercise & medication to control blood glucose!



Like others, diabetics benefit from whole grains, vegetables, fruits, legumes & non-/low-fat milk products!




Exercise is a must based on its insulin-like effect!



Class Frequency Distribution Report for BI 121 Exam I F18, Multiple Choice, Part II

Overall Mean Score: 69.76%

Grade	Percent Score	Raw Score	Frequency	Percent
A	90.00 - 100.00	36.00 - 40.00	16	9.14
В	80.00 - 89.99	32.00 - 35.99	30	17.14
С	70.00 - 79.99	28.00 - 31.99	51	29.14
D	60.00 - 69.99	24.00 - 27.99	43	24.57
F	0.00 - 59.99	0.00 - 23.99	35	20.00







GREAT EFFORT

GREAT!

GREAT!

GREAT!

GREAT!

OF 20-25).