

BI 358 Lecture 7



...Fun Discussion w/WBC slides!

I'm gonna smash it!



I. Announcements Quiz 2 on Digestion & Nutrition! Q?

Also, nutrition reports (.doc/.docx + .pdfs) by e-mail to Conor or Emile by 5 pm today! Update on outlines.

II. Body Resistance to Infection II G&H ch 32 & 33 +

L Sherwood 2012, Stuart Fox, Daniel Chiras, Basiro Davey

- A. **MedPhysiology News** Laughter is Medicine, Handwashing
Former State Employees Benefit Board **SEBB News + CDC**
- B. Connections: WBC differential, demo t permitting @ end!
- C. Immune system evolution Davey p 7
- D. Recap *cf*: Innate vs. adaptive immunity G&H pp 433-7, LS +...
Innate immunity eg inflammation, interferon, complement
- E. Antibody (Ab=Ig) structure, subclasses, mechanisms
G&H fig 34-4 + LS + Davey fig 2.4 p19, fig 4.2 p42, tab 4.1 p49
- F. Mom's milk *Scientific American*
- G. Immune Regulation + Allergy: G&H fig 34-7, 34-3 + ...
National Geographic, The Wars Within, Lennart Nilsson
<http://ngm.nationalgeographic.com/ngm/0510/feature1/learn.html>
<http://pinterest.com/susanknauff/immunology/>

Laughter = Medicine!



- Laughter's most profound effects occur on the immune system.
- Laughter \uparrow γ -interferon, \uparrow B-cells, \uparrow T-cells and \downarrow stress hormones
- The average child laughs 100s of x/day
- The average adult laughs 12 x/day
- We need to find these lost laughs—and use them to our advantage!



Ah Ha!



Hand-washing

The right way to wash your hands:

Thoroughly wash with soap and warm running water — rubbing your hands together for at least 10 seconds.

Hand-washing is the single most effective thing you can do to reduce the spread of colds and other infectious disease.

It's not necessary to use anti-bacterial soaps when washing up. Regular soap and water do the job just fine.


Also, using germicidal soaps too often may produce antibiotic-resistant bacteria.

Source: Hospital Infections Program, U.S. Centers for Disease Control and Prevention



NB: Happy Birthday Song 20-30 sec!!!

<http://www.squidsoap.com/>




<http://www.nature.com/nsmb/journal/v8/n9/full/nsb0901-737.html>

<http://www.nature.com/nrmicro/journal/v10/n1/full/nrmicro2726.html>

FIGURE 2.1 Summary of the main physical, chemical and mechanical barriers to infection entering the human body.

 Good phagocytes!



Granulocytes

Neutrophil 58-62%


Eosinophil 2-3%


Basophil < 1%

Lymphocytes 28-32%

Monocyte 3-5%

Agranulocytes





Erythrocytes

Monocyte

T-Lymphocyte

Platelets







Figure 33-2 Movement of neutrophils by *diapedesis* through capillary pores and by *chemotaxis* toward an area of tissue damage. G&H 2011




10,000 x GMBH
Nat Geog 1986



4000 x GMBH
Nat Geog 1986



7000 x GMBH
Nat Geog 1986




3000 x GMBH
Nat Geog 1986



10,000 x GBH
Nat Geog 1986




7000 x GMBH
Nat Geog 1986




- Key
- Y strong adaptive immunity and innate immunity
 - Y weak adaptive immunity and innate immunity
 - * antisomes → vs. B cell
 - ⊕ cytotoxic cells and graft rejection
 - ⊙ phagocytic cells
- } innate immunity

Lymphoid Tissues



Widespread Location of Lymphoid Tissues!



Immunity


Innate/Inborn/Nonspecific


1. Immediate, upon exposure to threatening agent
2. 1^o effectors phagocytic specialists: neutrophils & macrophages
3. "Eyes" are Toll-like receptors (TLRs) which recognize & bind with generic invader markers
4. Inflammation, interferon, natural killer cells, complement (plasma proteins)

Adaptive/Acquired/Specific

1. Delayed, selective targetting based on prior exposure
2. 1^o effectors lymphocytes: T- & B-lymphocytes
3. "Eyes" are T- and B-cell receptors which bind with specific antigens
4. Cell-mediated & Humoral (Ab mediated) immunity


Really, a false separation, as incredible overlap & synergism!






Allergic Reactions, Mast Cells & Basophils?

Allergen = ●
IgE = Y
↑
up to 1/2 million per cell!



- Bradykinin
- Eosinophil & Neutrophil Chemotactic Substances
- Heparin
- Histamine
- Platelet Activating Factors
- Protease
- Serotonin
- Toxic Leukotrienes/SRSA




Inflammation Steps


- 1 Break in skin → Bacteria enter & reproduce
- 2 Mast cells release histamine
- 3 Vessel wall becomes sticky → Neutrophils & monocytes attach → diapedesis → chemotaxis

- 4 Chemotaxins attract more Neutrophils & monocytes

- 5 Monocytes swell → Macrophages

★ Redness, Heat, Swelling, Pain!







Glucocorticoids throw blanket over entire inflammatory process!




1. Certainly warranted to quiet down immune system during extreme flare ups of arthritis, asthma, poison ivy, rash, but must consider:
2. Destroy lymphocytes in lymphoid tissues.
3. ↓ Antibody/Immunoglobulin (Ig) production.
4. Make susceptible to bacterial infections.




Interferon Mechanisms




Activated Complement




WBC Adverse Effects




cf: Leukemia ≡ uncontrolled WBC proliferation, yet inadequate defense → other cell lines displaced → overwhelming infections & bleeding...




30,000 x GMBH
Nat Geog 1986





Commander-in-Chief of the Immune System!!




HIV tips the balance!!








G&H fig 34-7 2011




The vital union that activates a helper T cell takes place only when the T cell recognizes both a “self” marker (rectangle) and a “nonself” antigen (triangle) on a macrophage.

Clonal Selection


Population of unactivated B cells, each a member of a different B-cell clone that makes a specific receptor, which is displayed on the membrane surface as a BCR






8500 x GMBH
Nat Geog 1986


Typical IgG Antibody Structure



How do antibodies work?



Immunoglobulin G



Sources:


Visual Science

<http://visualscience.ru/en/>


Maternal Immunization

<http://www.inmis2010.org/maternal-viral-immunization/>


① Agglutination



② Complement



③ Opsonization



④ Killer Cells





TABLE 4.1 Characteristics and functions of the human immunoglobulin classes

	G	A	M	D	↔ E
immunoglobulin class	IgG	IgA	IgM	IgD	IgE
heavy-chain type	γ	α	μ	δ	ϵ
number of constant domains in each heavy chain	3	3	4	3	4
relative molecular mass (M_r) of monomer	150 000	160 000	180 000	185 000	200 000
normally found as polymer?	no	dimer	pentamer	no	no
valency: number of antigen binding sites in normal form (i.e. monomer or polymer)	2	4	10	2	2
percentage of total immunoglobulin in serum	70-80	13-20	6-10	0-1	0.002
serum half-life (days)	23	5.8	5.1	2.8	2.3
ability to trigger complement cascade*	++	—	+++	—	—
can cross placenta from mother to foetus*	+	—	—	—	—
binds to Staphylococcal cell walls*	+	—	—	—	—
binds to macrophage Fc receptors*	+	—	(+)?	—	—
binds to neutrophil Fc receptors*	+	+	(+)?	—	—
binds to mast cell and basophil Fc receptors	—	—	—	—	+++
binds to platelets	+	—	—	—	—



* For IgG this refers only to some subclasses.




GAMED!




IgA = Secretory A_b

Dimer!!




Valence? 4



SOURCE: J Newman. How breast milk protects newborns. *Scientific American* 1995, 273, 6, 76-9.

Sci Am Dec 1995
Dana Burns-Pizer



RMS-PIZER

<http://www.who.int/topics/breastfeeding/en/>
<http://www.nichd.nih.gov/health/topics/breastfeeding/Pages/default.aspx>

Immune Benefits of Breast Milk at a Glance

Component	Action
White Blood Cells	
<i>B</i> lymphocytes	Give rise to antibodies targeted against specific microbes.
Macrophages	Kill microbes outright in the baby's gut, produce lysozyme and activate other components of the immune system.
Neutrophils	May act as phagocytes, ingesting bacteria in baby's digestive system.
<i>T</i> lymphocytes	Kill infected cells directly or send out chemical messages to mobilize other defenses. They proliferate in the presence of organisms that cause serious illness in infants. They also manufacture compounds that can strengthen a child's own immune response.


Molecules

Antibodies of secretory IgA class	Bind to microbes in baby's digestive tract and thereby prevent them from passing through walls of the gut into body's tissues.
B ₁₂ binding protein	Reduces amount of vitamin B ₁₂ , which bacteria need in order to grow.
Bifidus factor	Promotes growth of <i>Lactobacillus bifidus</i> , a harmless bacterium, in baby's gut. Growth of such nonpathogenic bacteria helps to crowd out dangerous varieties.
Fatty acids	Disrupt membranes surrounding certain viruses and destroy them.
Fibronectin	Increases antimicrobial activity of macrophages; helps to repair tissues that have been damaged by immune reactions in baby's gut.
Gamma-interferon	Enhances antimicrobial activity of immune cells.

Hormones and growth factors	Stimulate baby's digestive tract to mature more quickly. Once the initially "leaky" membranes lining the gut mature, infants become less vulnerable to microorganisms.
Lactoferrin	Binds to iron, a mineral many bacteria need to survive. By reducing the available amount of iron, lactoferrin thwarts growth of pathogenic bacteria.
Lysozyme	Kills bacteria by disrupting their cell walls.
Mucins	Adhere to bacteria and viruses, thus keeping such microorganisms from attaching to mucosal surfaces.
Oligosaccharides	Bind to microorganisms and bar them from attaching to mucosal surfaces.

<http://www.scientificamerican.com/article.cfm?id=got-smarts-mothers-milk-m>
<http://www.mcclatchydc.com/2012/08/28/163784/duke-study-pinpoints-breast-milk.html>

IgM = Macroglobulin
Pentamer!!!!




Valence? 10

Immunologic Networks <http://pinterest.com/pin/50947039506317536/>



The path to legendary discovery™



www.biolegend.com

Interactive Poster: biolegend.com/immunologicnetworks


BioLegend Japan KK
 8F, SB bldg., 1-4-6, Nezu, Bunkyo-ku, Tokyo 113-0031, Japan
 Phone: +81-3-3823-9071 Fax: +81-3-3823-9072
 Email: support@jp.biolegend.com Web: www.biolegend.com/jp

BioLegend Europe BV
 Ambachtweg 5, 1422 DS Uithoorn, The Netherlands
 Phone: +31-297-522488 Fax: +31-297-522756
 Email: info@europe.biolegend.com, tech@europe.biolegend.com

BioLegend (Headquarters)
 San Diego, CA 92121, USA
 Toll-Free Phone: 1-877-BioLegend (246-5343)
 Phone: (858) 455-9588 Fax: (877) 455-9587
 Email: customerserv@biolegend.com, techserv@biolegend.com

Created by ProteinLounge.com in Sep 2011

We would like to thank **Dr. Vijay K. Kuchroo** of Harvard Medical School for his contributions to this poster.



G&H fig 34-8 2011


***Dendritic Cells: Specialized Antigen-Presenting Cells
(APCs) Sentinels in Almost Every Tissue!***



L Sherwood 2012

Protein messages trigger responses

The pivotal discovery of lymphokines, the proteins by which immune cells communicate with each other, ushered in a new era of medical research. Scientists now produce some of them in sufficient quantities for promising therapies against a host of immunologic diseases.






Figure 34-3 Time course of the antibody response in the circulating blood to a primary injection of antigen and to a secondary injection several weeks later.

Immunology Websites for Fun Learning!

http://highered.mcgraw-hill.com/sites/0072495855/student_view0/chapter24/animation_the_immune_response.html

<http://www.guardian.co.uk/science/video/2010/nov/01/immune-system-viruses-cells>

<http://www.nobelprize.org/educational/medicine/immunity/game/index.html>